


#45C 2-Hole Pipe Strap - Epoxy Copper-Gard

Finishes Copper-Gard Epoxy c/w Copper Plated Nails

Materials Carbon Steel

Approvals Complies with MSS SP-58 and SP-69 (Type 26).

Recommended Recommended for the support of light duty copper tubing on walls or sides of beams. Not recommended for supporting pipe on ceilings or similar horizontal surfaces.



| COPPER Tube Size | SPECIFICATION DATA | | | | APP'X WT. PER 100 (LBS) | PC'S PER PKG. |
|------------------------|--------------------|-------------|-------|-------|-------------------------------|---------------------|
| | Tube OD | Hole Size A | B | C | | |
| 1/2 | 0.625 | 3/16 | 2 1/8 | 1 1/2 | 1 | 100 |
| 3/4 | 0.875 | 3/16 | 2 3/8 | 1 5/8 | 2 | 100 |
| 1 | 1.125 | 3/16 | 2 7/8 | 2 1/4 | 2 | 100 |
| 1 1/4 | 1.375 | 3/16 | 3 1/8 | 2 1/2 | 4 | 100 |
| 1 1/2 | 1.625 | 7/32 | 3 5/8 | 2 3/4 | 5 | 100 |
| 2 | 2.125 | 7/32 | 4 1/4 | 3 3/8 | 6 | 100 |

QWI 4.3.1 Issue Date Nov/21 Rev.7

Note: when referencing a printed copy of this specification page, please insure it is the latest version as found on our website at www.taylorwalraven.ca

For more information, please contact Customer Service at 1-800-263-8652